



SOFTCOOKER XP S / SR

sous vide cooking system

- Apparecchio per la cottura a bassa temperatura con riscaldamento statico dell'acqua.
- Struttura in acciaio inox, vasca di cottura gastronomica in acciaio inox.
- Pratiche maniglie per il trasporto della vasca.
- Potenti resistenze corazzate a contatto del fondo della vasca.
- Sistema elettronico di controllo della temperatura con visualizzazione della temperatura e del tempo di esercizio.
- Stesso sistema di controllo del Softcooker con ΔT di $0,2^{\circ}\text{C}$:
 - 25 programmi memorizzabili.
 - Temperatura selezionabile in $^{\circ}\text{C}$ e $^{\circ}\text{F}$.
 - Coperchio vasca fornito di serie.
- Versione R con rubinetto per lo scarico dell'acqua.



SOFTCOOKER XP S 1/1 GN

- Low temperature cooking device with water static heating.
- Stainless steel structure and 1/1 GN made of stainless steel
- Practical handles to carry it easily
- Powerful shock-proof coated heating elements in contact with tank bottom
- Electronic control system of the temperature with working temperature display
- Same control system of Softcooker with ΔT of $0,2^{\circ}\text{C}$:
 - 25 storable programs
 - Temperature setting in $^{\circ}\text{C}$ and $^{\circ}\text{F}$.
 - Equipped with lid
- R version with tap for discharging water.



SOFTCOOKER XP S 2/3 GN



SOFTCOOKER XP S 2/3 GN




SOFTCOOKER XP S 1/1 GN



SOFTCOOKER XP SR 1/1 GN



SOFTCOOKER XP SR 2/3 GN



						A	B	C	D	E	F			
	watt		°C	lt	lt	mm	mm	mm	mm	mm	mm	kg	mm	kg
Softcooker XP S 2/3 GN	1.150	1ph	24 ÷ 99,9	16.5	14	336	342	396	368	309	423	5	600x500x420	9
Softcooker XP S 1/1 GN	1.700	1ph	24 ÷ 99,9	26.5	22	508	342	568	368	309	595	16	600x500x420	20
Softcooker XP SR 2/3 GN	1.150	1ph	24 ÷ 99,9	19	17	336	342	396	368	309	470	5.5	600x500x420	9
Softcooker XP SR 1/1 GN	1.700	1ph	24 ÷ 99,9	29	25	508	342	568	368	309	642	16.5	600x500x420	20